





MARK	REVISION RECORD		REVISERE	APPROVER
	△1			
	△2			



SYMBOL	MILLIMETER		
	MIN	NOM	MAX
A	4.90	5.00	5.10
A1	2.31	2.41	2.51
A2	1.90	2.00	2.10
a	0.00	--	0.15
b	1.16	--	1.26
b1	1.96	2.00	2.04
b2	2.96	3.00	3.04
b3	2.00	2.10	2.20
b4	3.00	3.10	3.20
c	0.55	0.60	0.65
D	20.90	21.00	21.10
D1	16.35	16.55	16.75
D2	1.07	1.17	1.27
E	15.70	15.80	15.90
E1	13.10	13.30	13.50
E2	4.40	4.50	4.60
E3	2.40	2.50	2.60
e	5.436 BSC		
L	19.72	19.92	20.12
L1	--	--	4.30
P	3.40	3.50	3.60
P1	7.10	7.20	7.30
P2	2.40	2.50	2.60
Q	5.60	--	6.00
S	6.05	6.15	6.25
T	9.80	--	10.20
U	6.00	--	6.40
θ	13°	--	17°
θ1	5°	--	9°
θ2	5°	--	9°

- NOTES: 1. PKG SURFACE IS MATTE Ra1.2~1.4; OTHERS IS POLISHED Ra0.15;
 2. EJECTION MARK DEPTH 0.10±0.05mm;
 3. L/F THICKNESS AFTER PLATING 0.60±0.025;
 4. ALL DIMENSIONS IN MILLIMETERS;



 THIRD ANGLE PROJECTION	SCALE	UNIT	mm	TITLE
	DATE	2022-06-08		
TOLERANCE		DESIGNER	CHECKER	APPROVER
		陈露		
		2022-06-08		
		DWG.NO.	MT-PD-116	
		VERSION	A	第1页 共1页