






MARK




REVISION RECORD

REVISERE

APPROVER



SYMBOL	MILLIMETER		
	MIN	NOM	MAX
A	4.90	5.00	5.10
A1	2.31	2.41	2.51
A2	1.90	2.00	2.10
a	0.00	--	0.15
b	1.16	--	1.26
b1	1.96	2.00	2.06
b2	2.96	3.00	3.06
b3	--	--	2.25
b4	--	--	3.25
c	0.56	0.60	0.66
D	20.90	21.00	21.10
D1	16.25	16.55	16.85
D2	1.05	1.17	1.35
D3	0.58	0.68	0.78
E	15.70	15.80	15.90
E1	13.10	13.30	13.50
E2	1.40	1.50	1.60
E3	2.12	2.22	2.32
e	5.436 BSC		
L	19.80	19.95	20.10
L1	--	--	4.30
P	2.40	2.50	2.60
R	1.90	2.00	2.10
T	9.80	--	10.20
U	6.00	--	6.40
theta	13°	--	17°
theta 1	5°	--	9°
theta 2	5°	--	9°



NOTES: 1. PKG SURFACE IS MATTE Ra1.2~1.4;

OTHERS IS POLISHED Ra0.15;

2. EJECTION MARK DEPTH 0.10±0.05mm;

3. L/F THICKNESS AFTER PLATING 0.60±0.025;

4. ALL DIMENSIONS IN MILLIMETERS;

DCC受控

	SCALE	UNIT	mm	TITLE	
	DATE	2024-09-03		TO-247P-3L(plus)	
TOLERANCE		DESIGNER	CHECKER	APPROVER	产品成型图2
		陈露		席强	DWG.NO. MT-PD-253
		2024-09-03			VERSION A 第1页 共1页